ELSEVIER

Volume 280 Numbers 1–2, 23 October 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letter

Standard Gibbs energy of formation of $CaSb_2O_4$ using a calcium fluoride solid electrolyte galvanic cell L1
S. Raghavan (Chennai, India)

Physics

Paramagnetic susceptibilities of trivalent neodymium in $LiYF_4$ 1
H. De Leebeeck, C. Görller-Walrand (Leuven, Belgium), R. Saez-Puche (Madrid, Spain)

Antiferromagnetic ordering in the novel Ho_3Ge_5 and $HoGe_{1.85}$ compounds studied by X-ray and neutron diffraction 4
O. Zaharko, P. Schobinger-Papamantellos (Zürich, Switzerland), C. Ritter (Grenoble, France)

Magnetic anisotropy and magnetic properties of RTSi (R=Gd, Y; T=Mn, Fe) compounds 16
S.A. Nikitin, T.I. Ivanova, I.A. Tskhadadze, K.P. Skokov, I.V. Telegina (Moscow, Russia)

Spin-reorientation transitions and magnetic anisotropy in $TbFe_{11-x}Co_xTi$ compounds 20
T.I. Ivanova, Yu.G. Pastushenkov, K.P. Skokov, I.V. Telegina, I.A. Tskhadadze (Moscow, Russia)

Structural chemistry, magnetism and thermodynamic properties of R_2Pd_2In 26
M. Giovannini (Genova, Italy), H. Michor, E. Bauer, G. Hilscher, P. Rogl (Wien, Austria), R. Ferro (Genova, Italy)

Electrical and magnetic properties of YbPdGe and YbPtGe 39
Y. Itoh (Fukuyama, Japan), H. Kadomatsu (Higashi-hiroshima, Japan)

On the magnetic ordering of $R_6Fe_{13}X$ compounds 44
P. Schobinger-Papamantellos (Zürich, Switzerland), K.H.J. Buschow, C.H. de Groot, F.R. de Boer (Amsterdam, The Netherlands), C. Ritter, F. Fauth, G. Boettger (Grenoble, France)

Chemistry

Partial phase diagram of $CaO–TeO_2$ system 56
R. Mishra, P.N. Namboodiri, S.N. Tripathi, S.R. Dharwadkar (Mumbai, India)

Electrical resistivity, oxidation resistivity and hardness of single crystal compounds in the Er–Rh–B system 65
T. Shishido (Sendai, Japan), K. Kudou (Yokohama, Japan), S. Okada (Tokyo, Japan), J. Ye (Tsukuba-shi, Japan), M. Oku (Sendai, Japan), H. Horiuchi (Tokyo, Japan), T. Fukuda (Sendai, Japan)

Polythioantimonate flux synthesis of the low-dimensional compounds A_2AuSbS_4 (A=Rb, Cs) 71
J.A. Hanko, M.G. Kanatzidis (East Lansing, MI, USA)

Thermodynamic study of the $CsCl–CeCl_3$ system by Knudsen effusion mass spectrometry 77
I. Lisek, J. Kapała and M. Miller (Wrocław, Poland)

Novel crystal structure in the Chevrel-phase compound $EuMo_6Se_8$. Transport and magnetic properties 85
F. Le Berre, O. Peña, C. Perrin, J. Padiou (Rennes, France), R. Horyń, A. Wojakowski (Wroclaw, Poland)

Thermodynamic studies on $LaFeO_3$(s) 94
S.C. Parida, Z. Singh, S. Dash, R. Prasad, V. Venugopal (Mumbai, India)

Surface analyses of an alkali-treated $Zr_{0.9}Ti_{0.1}Ni_{1.1}Co_{0.1}Mn_{0.6}V_{0.2}$ alloy for use in nickel–metal hydride batteries 99
W.-K. Choi, S.G. Zhang (Osaka, Japan), J.-i. Murayama, R. Shin-ya (Hyogo, Japan), H. Inoue, C. Iwakura (Osaka, Japan)

Electrochemical characteristics of an amorphous $Mg_{0.9}V_{0.1}Ni$ alloy prepared by mechanical alloying 104
S. Nohara, K. Hamasaki, S.G. Zhang, H. Inoue, C. Iwakura (Osaka, Japan)

Structure and characterization of a mixed crystal $Rb_2SO_4.Te(OH)_6$ 107
M. Dammak, H. Khemakhem, T. Mhiri, A.W. Kolsi, A. Daoud (Sfax, Tunisia)

Theoretical evaluation for thermodynamic stability of constituents of Mm-based hydrogen storage alloy in 6 M KOH solution at relatively high temperatures 114
H. Senoh (Osaka, Japan), M. Ueda (Wakayama, Japan), N. Furukawa, H. Inoue, C. Iwakura (Osaka, Japan)

Elsevier Science S.A.

Preparation of tetragonal ZrO_2–12 mol% CeO_2 and ZrO_2–6 mol% $YO_{1.5}$ solid solutions at reduced temperature by a simple aqueous solution route using citric acid as a complexant 125
M. Kakihana, S. Kato, M. Yashima, M. Yoshimura (Yokohama, Japan)

Metallurgy

Effect of continuous cooling on the decomposition processes in a Zn–1.6 wt.% Al alloy 131
K. Akune, J.C. Colmenero (São Carlos, Brazil)

Phase equilibria and thermodynamic properties of ternary oxides in the system Co–Mo–O 138
K.T. Jacob (Bangalore, India), S. Vana Varamban (Kalpakkam, India)

Experimental investigation and thermodynamic calculation of excess enthalpies in the Ag–Pb–Te system 147
F. Römermann, R. Blachnik (Osnabrück, Germany)

Enthalpy of formation of the (Pt–Sn) system 158
P. Anres, M. Gaune-Escard, J.P. Bros (Marseille, France), E. Hayer (Vienna, Austria)

Phase stability and fcc/hcp martensitic transformation in Fe–Mn–Si alloys: Part II. Thermodynamic modelling of the driving forces and the M_S and A_S temperatures 168
S. Cotes, A. Fernández Guillermet, M. Sade (Bariloche, Argentina)

Phase equilibria in the {Sm,Tb,Tm}–Mn–Si systems at 870/1070 K. Structural data and melting temperatures of some ternary compounds in the R–Mn–Si systems (R=Y, La–Lu) 178
A.V. Morozkin, Yu.D. Seropegin, I.A. Sviridov, V.A. Moskalev, I.A. Tskhadadze, I.G. Ryabinkin (Moscow, Russia)

A complex structure in the ($\beta+\gamma_0$) region of the Cu–Al alloys 188
M.R.F. Hurtado (Araraquara, Brazil), J. Portillo, Y. Maniette (Barcelona, Spain), A.T. Adorno, A.V. Benedetti (Araraquara, Brazil)

Crystal structure of UCu_5In 196
V. Zaremba (Lviv, Ukraine), J. Stępień-Damm, R. Troć, D. Kaczorowski (Wrocław, Poland)

The crystal structure of $R_{10}Co_9In_{20}$ (R=Er, Tm, Lu) compounds 199
V.P. Dubenskii, Ya.M. Kalychak, V.I. Zaremba, E.A. Goreshnik (Lviv, Ukraine)

Determination of the position and occupancy of deuterium in $CaNi_5$ deuterides by neutron diffraction 204
A. Yoshikawa, Y. Uyenishi (Ishikawa, Japan), H. Iizumi (Tokyo, Japan), T. Matsumoto (Ibaraki, Japan), N. Takano, F. Terasaki (Ishikawa, Japan)

Phase diagram of In_2Te_3–Cr_3Te_4 209
Ch.I. Abilov, E.A. Eivazov, S.A. Zeinalov, M.S. Gasanova (Baku, Azerbaijan)

The phase diagram of the Eu–Sn system 211
A. Palenzona, P. Manfrinetti, M.L. Fornasini (Genova, Italy)

Transition between periodic and quasiperiodic structures in Al–Ni–Co 215
B. Grushko, D. Holland-Moritz (Jülich, Germany), R. Wittmann (Karlsruhe, Germany), G. Wilde (Madison WI, USA)

Standard enthalpies of formation of some 5d transition metal silicides by high temperature direct synthesis calorimetry 231
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

Constitution and hardnesses of the Al–Ir system 240
P.J. Hill (WITS and Randburg, South Africa), L.A. Cornish, M.J. Witcomb (WITS, South Africa)

Materials Science

The role of magnetostriction in pulsed laser irradiation of amorphous alloys 251
M. Sorescu (Pittsburgh, PA, USA)

A study on the preparation of iron aluminium based intermetallic alloy by aluminothermic smelting technique 255
S.P. Chakraborty, I.G. Sharma, D.K. Bose (Mumbai, India)

Hydrogenation properties of $Mg_{1-x}M1_xCu_2$ (M1=La and Nd) with larger interstitial sites than $MgCu_2$ 262
Y. Tsushio (Hiroshima, Japan), P. Tessier, H. Enoki, E. Akiba (Ibaraki, Japan)

Tantalum powder production by magnesiothermic reduction of $TaCl_5$ through an electronically mediated reaction (EMR) . . . 265
I. Park, T.H. Okabe, Y. Waseda (Sendai, Japan)

Synthesis and magnetic properties of haematite with different particle morphologies 273
M. Sorescu (Pittsburgh, PA, USA), R.A. Brand (Duisburg, Germany), D. Mihaila-Tarabasanu, L. Diamandescu (Bucharest-Magurele, Romania)

Cobalt- and copper-substitution effects on thermal stabilities and hydriding properties of amorphous MgNi 279
K. Ikeda, S. Orimo (Higashi-Hiroshima, Japan), A. Züttel, L. Schlapbach (Perolles, Switzerland), H. Fujii (Higashi-Hiroshima, Japan)

Improvement of the thermodynamical and electrochemical properties of multicomponent Laves phase hydrides by thermal annealing 284
B. Klein (Thiais, France), N. Simon (Versailles, France), S. Klyamkine (Moscow, Russian Federation), M. Latroche, A. Percheron-Guégan (Thiais, France)

The effect of chemical coating with Ni on the electrode properties of Mg_2Ni alloy 290
J. Chen, D.H. Bradhurst, S.X. Dou, H.K. Liu (Wollongong, Australia)

Synthesis of the compound CrN by DC reactive sputtering 294
K. Suzuki (Tsuruoka, Japan), T. Kaneko, H. Yoshida, Y. Obi, H. Fujimori (Sendai, Japan)

The effect of elastic strain on the optical properties of InGaP/GaAs grown using a valved phosphorus cracker cell in solid source MBE 299
S.F. Yoon, K.W. Mah, H.Q. Zheng (Singapore, Republic of Singapore)

Direct synthesis of Mg_2FeH_6 by mechanical alloying 306
J. Huot, S. Boily (Varennes, Canada), E. Akiba (Ibaraki, Japan), R. Schulz (Varennes, Canada)

On synthesis and magnetic properties of $Nd(Fe, Mo, Ti)_{12}Z_x$ (Z=N, H) 310
Q.M. Cheng, J.H. Lin, M.Z. Su (Beijing, P.R. China)

Studies on multi-component rare earth-based hydrogen storage alloys with small amounts of boron 314
W.-K. Hu, Z. Ye, D. Noréus (Stockholm, Sweden)

Corrigendum 321

Author Index of Volume 280 323

Subject Index of Volume 280 325

CONTENTS DIRECT

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **Contents Direct** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect**. If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk – specifying the title of the publication you wish to register for.